

## APBA Combined Park Effects and Pitcher Home Run Ratings

*Usage: Given a ball park and the pitcher's master game home run rating, reroll after homeruns or doubles. If reroll is with the given range, 2B's are converted to HR's (#1)s. If range is surrounded by parentheses, HR's are converted to the highest 2B number on the board. Example, an L-rated pitcher in Camden Yards would have 2B's converted to HR's if the reroll was within the range 11-31. Alternatively, use the NR column for all pitchers if the master game ratings aren't available.*

Team	L	PARK	First	Last	HR Rating	M	L	NR	G	H
BAL	A	Oriole Park	1901	1902	15	11-61	11-45	11-33	11-13	(11-23)
BAL	A	Memorial Stadium	1954	1991	-8	11-22	NC	(11-22)	(11-42)	(11-62)
BAL	A	Oriole Park at Camden Yards	1992	1993	5	11-43	11-31	11-15	(11-21)	(11-41)
BOS	A	Huntington Avenue Grounds	1901	1911	2	11-36	11-24	11-12	(11-24)	(11-44)
BOS	A	Fenway Park (I)	1912	1933	-4	11-26	11-14	(11-14)	(11-34)	(11-54)
BOS	A	Fenway Park (II)	1934	1993	14	11-56	11-44	11-32	11-12	(11-24)
CAL	A	Chavez Ravine	1965	1965	-8	11-22	NC	(11-22)	(11-42)	(11-62)
CAL	A	Anaheim Stadium	1966	1993	-7	11-23	NC	(11-21)	(11-41)	(11-61)
CHI	A	South Side Park (II)	1901	1909	-11	11-15	(11-13)	(11-25)	(11-45)	(11-65)
CHI	A	Comiskey/White Sox Park	1910	1990	-3	11-31	11-15	(11-13)	(11-33)	(11-53)
CHI	A	Comiskey Park (II)	1991	1993	-4	11-26	11-14	(11-14)	(11-34)	(11-54)
CLE	A	League Park (I)	1901	1909	-4	11-26	11-14	(11-14)	(11-34)	(11-54)
CLE	A	League Park (II)	1910	1931	7	11-45	11-33	11-21	(11-15)	(11-35)
CLE	A	League/Municipal shared	1932	1946	-5	11-25	11-13	(11-15)	(11-35)	(11-55)
CLE	A	Municipal/Cleveland Stadium	1947	1993	-2	11-32	11-16	(11-12)	(11-32)	(11-52)
DET	A	Bennett Park	1901	1911	7	11-45	11-33	11-21	(11-15)	(11-35)
DET	A	Navin Field	1912	1937	2	11-36	11-24	11-12	(11-24)	(11-44)
DET	A	Briggs/Tiger Stadium	1938	1993	5	11-43	11-31	11-15	(11-21)	(11-41)
KC	A	Municipal Stadium (I)	1955	1967	6	11-44	11-32	11-16	(11-16)	(11-36)
KC	A	Municipal Stadium (II)	1969	1972	0	11-34	11-22	NC	(11-26)	(11-46)
KC	A	Royals Stadium	1973	1993	3	11-41	11-25	11-13	(11-23)	(11-43)
LA	A	Wrigley Field	1961	1961	27	11-66	11-65	11-53	11-33	11-13
LA	A	Chavez Ravine	1962	1964	-14	11-12	(11-16)	(11-32)	(11-52)	(11-66)
MIL	A	Lloyd Street Grounds	1901	1901	-8	11-22	NC	(11-22)	(11-42)	(11-62)
MIL	A	County Stadium	1970	1993	-4	11-26	11-14	(11-14)	(11-34)	(11-54)
MIN	A	Metropolitan Stadium	1961	1981	8	11-46	11-34	11-22	(11-14)	(11-34)
MIN	A	Humphrey Metrodome	1982	1993	9	11-51	11-35	11-23	(11-13)	(11-33)
NY	A	Hilltop Park	1903	1912	16	11-62	11-46	11-34	11-14	(11-22)
NY	A	Polo Grounds (IV)	1913	1922	1	11-35	11-23	NC	(11-25)	(11-45)
NY	A	Yankee Stadium (I)	1923	1973	-9	11-21	NC	(11-23)	(11-43)	(11-63)
NY	A	Shea Stadium	1974	1975	-8	11-22	NC	(11-22)	(11-42)	(11-62)
NY	A	Yankee Stadium (II)	1976	1993	-4	11-26	11-14	(11-14)	(11-34)	(11-54)
OAK	A	Oakland Coliseum	1968	1993	-12	11-14	(11-14)	(11-26)	(11-46)	(11-66)
PHI	A	Columbia Park	1901	1908	7	11-45	11-33	11-21	(11-15)	(11-35)
PHI	A	Shibe Park/Connie Mack Stadi	1909	1954	2	11-36	11-24	11-12	(11-24)	(11-44)
SEA	A	Sicks Stadium	1969	1969	0	11-34	11-22	NC	(11-26)	(11-46)
SEA	A	Kingdome	1977	1993	4	11-42	11-26	11-14	(11-22)	(11-42)
STL	A	Sportsman's Park (III)	1902	1908	-7	11-23	NC	(11-21)	(11-41)	(11-61)
STL	A	Sportsman's Park (IV)	1909	1953	8	11-46	11-34	11-22	(11-14)	(11-34)
TEX	A	Arlington Stadium	1972	1993	-2	11-32	11-16	(11-12)	(11-32)	(11-52)
TOR	A	Exhibition Stadium	1977	1988	7	11-45	11-33	11-21	(11-15)	(11-35)
TOR	A	Skydome	1989	1993	3	11-41	11-25	11-13	(11-23)	(11-43)
WAS	A	American League Park (I)	1901	1903	4	11-42	11-26	11-14	(11-22)	(11-42)
WAS	A	American League Park (II)	1904	1910	-8	11-22	NC	(11-22)	(11-42)	(11-62)
WAS	A	Griffith Stadium (I)	1911	1955	-7	11-23	NC	(11-21)	(11-41)	(11-61)
WAS	A	Griffith Stadium (II)	1956	1961	1	11-35	11-23	NC	(11-25)	(11-45)
WAS	A	R.F.K. Stadium	1962	1971	-4	11-26	11-14	(11-14)	(11-34)	(11-54)

## APBA Combined Park Effects and Pitcher Home Run Ratings

*Usage: Given a ball park and the pitcher's master game home run rating, reroll after homeruns or doubles. If reroll is with the given range, 2B's are converted to HR's (#1)s. If range is surrounded by parentheses, HR's are converted to the highest 2B number on the board. Example, an L-rated pitcher in Camden Yards would have 2B's converted to HR's if the reroll was within the range 11-31. Alternatively, use the NR column for all pitchers if the master game ratings aren't available.*

Team	L	PARK	First	Last	HR Rating	M	L	NR	G	H
ATL	N	Atlanta/Fulton County Stadium	1966	1993	12	11-54	11-42	11-26	NC	(11-26)
BAL	N	Union Park	1892	1899	3	11-41	11-25	11-13	(11-23)	(11-43)
BOS	N	South End Grounds (I)	1876	1893	3	11-41	11-25	11-13	(11-23)	(11-43)
BOS	N	South End Grounds (II)	1894	1914	10	11-52	11-36	11-24	(11-12)	(11-32)
BOS	N	Braves Field	1915	1952	-11	11-15	(11-13)	(11-25)	(11-45)	(11-65)
BRO	N	Washington Park (II)	1890	1890	-2	11-32	11-16	(11-12)	(11-32)	(11-52)
BRO	N	Eastern Park	1891	1897	-11	11-15	(11-13)	(11-25)	(11-45)	(11-65)
BRO	N	Washington Park (III)	1898	1912	-4	11-26	11-14	(11-14)	(11-34)	(11-54)
BRO	N	Ebbets Field	1913	1957	2	11-36	11-24	11-12	(11-24)	(11-44)
BUF	N	Riverside Park	1879	1883	4	11-42	11-26	11-14	(11-22)	(11-42)
BUF	N	Olympic Park (I)	1884	1885	13	11-55	11-43	11-31	NC	(11-25)
CHI	N	23rd Street Grounds	1876	1877	25	11-66	11-63	11-51	11-31	NC
CHI	N	Lake Front Park (I)	1878	1882	9	11-51	11-35	11-23	(11-13)	(11-33)
CHI	N	Lake Front Park (II)	1882	1884	20	11-66	11-54	11-42	11-22	(11-14)
CHI	N	West Side Park (I)	1885	1890	21	11-66	11-55	11-43	11-23	(11-13)
CHI	N	South Side Park (I)	1891	1893	5	11-43	11-31	11-15	(11-21)	(11-41)
CHI	N	West Side Park (II)	1894	1915	1	11-35	11-23	NC	(11-25)	(11-45)
CHI	N	Wrigley Field	1916	1993	6	11-44	11-32	11-16	(11-16)	(11-36)
CIN	N	Avenue Grounds	1876	1879	-14	11-12	(11-16)	(11-32)	(11-52)	(11-66)
CIN	N	Bank Street Grounds	1880	1880	3	11-41	11-25	11-13	(11-23)	(11-43)
CIN	N	League Park (I)	1890	1893	-1	11-33	11-21	NC	(11-31)	(11-51)
CIN	N	League Park (II)	1894	1901	5	11-43	11-31	11-15	(11-21)	(11-41)
CIN	N	Palace of the Fans	1902	1911	8	11-46	11-34	11-22	(11-14)	(11-34)
CIN	N	Redland/Crosley Field	1912	1969	-1	11-33	11-21	NC	(11-31)	(11-51)
CIN	N	Riverfront Stadium	1970	1993	3	11-41	11-25	11-13	(11-23)	(11-43)
CLE	N	Kennard Street Park	1879	1884	-6	11-24	11-12	(11-16)	(11-36)	(11-56)
CLE	N	National League Park	1889	1890	-5	11-25	11-13	(11-15)	(11-35)	(11-55)
CLE	N	League Park (I)	1891	1899	7	11-45	11-33	11-21	(11-15)	(11-35)
COL	N	Mile High Stadium	1993	1993	36	11-66	11-66	11-66	11-46	11-26
DET	N	Recreation Park	1881	1888	0	11-34	11-22	NC	(11-26)	(11-46)
FLA	N	Joe Robbie Stadium	1993	1993	4	11-42	11-26	11-14	(11-22)	(11-42)
HAR	N	Hartford Ball Club Grounds	1876	1876	6	11-44	11-32	11-16	(11-16)	(11-36)
HAR	N	Union Grounds (Brooklyn)	1877	1877	-29	(11-31)	(11-43)	(11-55)	(11-66)	(11-66)
HOU	N	Colt Stadium	1962	1964	-14	11-12	(11-16)	(11-32)	(11-52)	(11-66)
HOU	N	Astrodome	1965	1993	-11	11-15	(11-13)	(11-25)	(11-45)	(11-65)
IND	N	South Street Park	1878	1878	-32	(11-34)	(11-46)	(11-62)	(11-66)	(11-66)
IND	N	Athletic Park (I)	1887	1887	-1	11-33	11-21	NC	(11-31)	(11-51)
IND	N	Athletic Park (II)	1888	1889	11	11-53	11-41	11-25	NC	(11-31)
KC	N	Association Park	1886	1886	24	11-66	11-62	11-46	11-26	NC
LA	N	Memorial Coliseum	1958	1961	13	11-55	11-43	11-31	NC	(11-25)
LA	N	Chavez Ravine/Dodger Stadium	1962	1993	-11	11-15	(11-13)	(11-25)	(11-45)	(11-65)
LOU	N	Louisville Baseball Park	1876	1877	33	11-66	11-66	11-63	11-43	11-23
LOU	N	Eclipse Park (I)	1892	1892	-18	(11-12)	(11-24)	(11-36)	(11-56)	(11-66)
LOU	N	Eclipse Park (II)	1893	1899	-7	11-23	NC	(11-21)	(11-41)	(11-61)
MIL	N	Milwaukee Baseball Grounds	1878	1878	26	11-66	11-64	11-52	11-32	11-12
MIL	N	County Stadium	1953	1965	-13	11-13	(11-15)	(11-31)	(11-51)	(11-66)
MON	N	Jarry Park	1969	1976	6	11-44	11-32	11-16	(11-16)	(11-36)

## APBA Combined Park Effects and Pitcher Home Run Ratings

*Usage: Given a ball park and the pitcher's master game home run rating, reroll after homeruns or doubles. If reroll is with the given range, 2B's are converted to HR's (#1)s. If range is surrounded by parentheses, HR's are converted to the highest 2B number on the board. Example, an L-rated pitcher in Camden Yards would have 2B's converted to HR's if the reroll was within the range 11-31. Alternatively, use the NR column for all pitchers if the master game ratings aren't available.*

Team	L	PARK	First	Last	HR Rating	M	L	NR	G	H
MON	N	Olympic Stadium	1977	1993	-2	11-32	11-16	(11-12)	(11-32)	(11-52)
NY	N	Union Grounds (Brooklyn)	1876	1876	-22	(11-16)	(11-32)	(11-44)	(11-64)	(11-66)
NY	N	Polo Grounds (I)	1883	1888	-8	11-22	NC	(11-22)	(11-42)	(11-62)
NY	N	Polo Grounds (II)	1889	1890	-2	11-32	11-16	(11-12)	(11-32)	(11-52)
NY	N	Polo Grounds (III)	1891	1910	-3	11-31	11-15	(11-13)	(11-33)	(11-53)
NY	N	Polo Grounds (IV)	1911	1957	-3	11-31	11-15	(11-13)	(11-33)	(11-53)
NY	N	Polo Grounds (IV)	1962	1963	10	11-52	11-36	11-24	(11-12)	(11-32)
NY	N	Shea Stadium	1964	1993	-6	11-24	11-12	(11-16)	(11-36)	(11-56)
PHI	N	Jefferson Street Grounds	1876	1876	14	11-56	11-44	11-32	11-12	(11-24)
PHI	N	Recreation Park	1883	1886	-5	11-25	11-13	(11-15)	(11-35)	(11-55)
PHI	N	Philadelphia Baseball Ground	1887	1894	2	11-36	11-24	11-12	(11-24)	(11-44)
PHI	N	Baker Bowl	1895	1937	14	11-56	11-44	11-32	11-12	(11-24)
PHI	N	Shibe Park/Connie Mack Stadi	1938	1970	-4	11-26	11-14	(11-14)	(11-34)	(11-54)
PHI	N	Veteran's Stadium	1971	1993	5	11-43	11-31	11-15	(11-21)	(11-41)
PIT	N	Recreation Park	1887	1890	-21	(11-15)	(11-31)	(11-43)	(11-63)	(11-66)
PIT	N	Exposition Park	1891	1908	-1	11-33	11-21	NC	(11-31)	(11-51)
PIT	N	Forbes Field	1909	1969	2	11-36	11-24	11-12	(11-24)	(11-44)
PIT	N	Three Rivers Stadium	1970	1993	0	11-34	11-22	NC	(11-26)	(11-46)
PRO	N	Messer Street Grounds	1878	1885	-9	11-21	NC	(11-23)	(11-43)	(11-63)
SD	N	Jack Murphy Stadium	1969	1993	-8	11-22	NC	(11-22)	(11-42)	(11-62)
SF	N	Seals Stadium	1958	1959	-6	11-24	11-12	(11-16)	(11-36)	(11-56)
SF	N	Candlestick Park	1960	1993	-4	11-26	11-14	(11-14)	(11-34)	(11-54)
STL	N	Grand Avenue Park	1876	1877	-23	(11-21)	(11-33)	(11-45)	(11-65)	(11-66)
STL	N	Union Park	1885	1886	-13	11-13	(11-15)	(11-31)	(11-51)	(11-66)
STL	N	Sportsman's Park (I)	1892	1892	-8	11-22	NC	(11-22)	(11-42)	(11-62)
STL	N	Robison Field	1893	1919	-3	11-31	11-15	(11-13)	(11-33)	(11-53)
STL	N	Sportsman's Park (IV)	1920	1965	6	11-44	11-32	11-16	(11-16)	(11-36)
STL	N	Busch Stadium	1966	1993	0	11-34	11-22	NC	(11-26)	(11-46)
SYR	N	Newell Park	1879	1879	-20	(11-14)	(11-26)	(11-42)	(11-62)	(11-66)
TRO	N	Putnam Grounds	1879	1879	-6	11-24	11-12	(11-16)	(11-36)	(11-56)
TRO	N	Haymakers' Grounds	1880	1881	13	11-55	11-43	11-31	NC	(11-25)
TRO	N	Troy Ball Clubs Grounds	1882	1882	-7	11-23	NC	(11-21)	(11-41)	(11-61)
WAS	N	Swanpdoodle Grounds	1886	1889	-10	11-16	(11-12)	(11-24)	(11-44)	(11-64)
WAS	N	Boundary Field	1892	1899	-1	11-33	11-21	NC	(11-31)	(11-51)
WOR	N	Worcester Driving Park Groun	1880	1882	18	11-64	11-52	11-36	11-16	(11-16)